




**Parquet. Perfect.**



**Products 2024**





## Parquet. Perfect.



## Our knowledge. Your benefits.

# Parkett Intelligence

**This is Parkett Intelligence:**

## Perfect solutions for all areas of use!

**Are you looking for a parquet floor that offers you practical benefits?**

**Our intelligent solutions:** Our maintenance-free, healthy, and sound reduction parquet's worldwide unique features as well as system-solution renovation with Weitzer Parkett are representative here of the numerous proofs of our innovative strength, which sets standards in matters of parquet, offering convenience, comfort and an enhanced sense of well being.

## A matter of trust

Our family has been connected to the natural element, wood, for more than 190 years. After all, our home town Weiz is located in the middle of green Styria, the province in Austria with the largest abundance of forests. Just as our forests keep on growing, we also undergo continual development and growth. Wilfried Weitzer, Dr. Nicola Weitzer and Mag. Alexandra Decker-Weitzer, who head the family enterprise, are the seventh generation to run the company. The responsibility for future generations is the driving force for decisions in favour of sustainability in economic, eco-logical, and social matters.

- We perform each and every individual production step - from cutting the timber, to packaging of the parquet.
- Social responsibility is an integral part of our corporate policy, which is why we feel very strongly about ensuring that our personnel have jobs in Austria in the future as well.

**WEIZ**






# The range

		Fumed Oak		Oak Havana		Walnut		Oak Amber		Ash Amber	
		Pro Active+	Pro Vital finish	Pro Active+	Pro Vital finish	Pro Active+	Pro Vital finish	Pro Active+	Pro Vital finish	Pro Active+	Pro Vital finish
Plank appearance	<b>Weitzer Plank 2245 Plus</b> 3-layer parquet Dimensions: 2245 x 193 x 14 mm										
	lively										
	rustic										
	rustic colourful							●	●		
Plank appearance	<b>Weitzer Plank 2245</b> 3-layer parquet Dimensions: 2245 x 193 x 13 mm										
	calm				●				●		
	lively	●	●		●				●		
	lively colourful			●		●	●	●		●	
	rustic				●				●		
Plank appearance	<b>Weitzer Plank 1800</b> 3-layer parquet Dimensions: 1800 x 175 x 11 mm										
	calm				●				●		
	lively	●	●		●				●		
	lively colourful			●		●	●	●		●	●
	rustic				●				●		
Plank appearance	<b>Weitzer Plank 1400</b> 2-layer parquet Dimensions: 1400 x 140 x 9,3 mm										
	calm								●		
Plank appearance	<b>Weitzer Plank 1000</b> 2-layer parquet Dimensions: 1000 x 125 x 9,3 mm										
	calm								●		
Plank appearance	<b>Weitzer Block 750</b> 2-layer parquet Dimensions: 750 x 125 x 9,3 mm										
	lively	●	●						●		
Block appearance	<b>Weitzer Block 500</b> 2-layer parquet Dimensions: 500 x 68 x 9,3 mm										
	exquisite										
	calm							●			
	lively										
Block appearance	<b>Weitzer Block 2245</b> 3-layer parquet Dimensions: 2245 x 193 x 13 mm										
	calm										
	lively	●									
Strip appearance	<b>Weitzer Strip 360</b> 2-layer parquet Dimensions: 360 x 108 x 10,3 mm										
	calm										
	lively										
Strip appearance	<b>Weitzer Strip 360</b> 2-layer parquet Dimensions: 360 x 108 x 10,3 mm										
	lively colourful					●	●			●	







# Overview of Icons

## Connection system



### Tongue and groove

4-side tongue and groove connection



### Double-Click

Intelligent, patented double-click system with the greatest interlocking power on the market

## Parquet structure



### 2-Layer Parquet

A base layer, combined with a real hardwood top layer gives a low floor height construction, which is ideal for renovations



### 3-Layer Parquet

A spruce counterbalance base, combined with a spruce core and a real hardwood top layer gives the highest level of stability - even with floating installation

## Installation techniques



### Complete adhesion

Products that are suitable for complete adhesion to subfloor



### Floating installation

Products that are suitable for floating installation on recommended underlays



### Floating adhesion

Suitable for the floating adhesion on the underlay WP Looseglue

## Installation patterns



Only straight lamella pattern installation possible



45°

French Herringbone 45°



60°

French Herringbone 60°



90°

Herringbone

## Wooden stairs WP Multi



### Don't forget:

There's a stair covering to match every parquet! No matter what wood species, format, colour and additional treatment you use

## Wear layer thickness



2,7

approx.  
2,7 mm  
sawn  
veneer



3,6

approx.  
3,6 mm  
sawn  
veneer

## Hardness grade of wood species\*



### Soft to very hard

The hardness of the wood is especially important in terms of pressure points - wear resistance is additionally increased by means of the surface finish

## Suitable for underfloor heating\*



### Limited to very good

depending on the relevant layout (level of heating loop), suitable for underfloor heating





# Perfect Surfaces

## Practical solutions, whatever your requirements are



Maintenance-Free Parquet



Sound-Reduction Parquet

### The lacquered surface finish

**Maintenance-free, matt lacquered finish appearing as naturally oiled.**

**See** the natural matt look

**Feel** the brushed texture\*

#### Intelligent characteristics

- Maintenance-Free for residential living
- Meets Class C of ÖNORM C 2354  
(the highest standard for anti-scratch and resistance against certain chemicals, etc.)

\* Excluding products made from walnut



Healthy Parquet



Sound-Reduction Parquet

### The natural oiled surface finish

**Pure natural oils, protecting the timber by soaking into the pores**

**See** the velvety matt look

**Feel** the wood's structure up close

#### Intelligent characteristics

- Regular maintenance refreshes the impregnation/protective layer.  
It is thus ideal for commercial applications.
- Especially breathable. Can be partially renovated.
- Surface oiled at the end of the workshop

It is essential that an additional finish be applied to the floor after installation if it is to be used in a public area.



# Maintenance-Free Parquet

**Unique worldwide: no maintenance required, saves you time and money.**

## What we understand by Maintenance-Free Parquet

**Weitzer Parkett are the first and only manufacturer of this type of parquet flooring. For residential use, the complicated and time consuming maintenance is no longer required. For ProActive+ surfaces, only a light cleaning is required.**

### Guaranteed by:

- **Multi layer uv curing execute:**  
The unique sealing technology protects the parquet against scratches, abrasion and heavy duty / wear and tear. The natural matt surface finish\* in combination with the brushing, underlines the natural raw material.
- **One of the largest hardwood-kiln-drying facilities in europe:**  
Decades of experience in the drying of wood help guarantee greater inherent stability and fitting-accuracy. This helps reduce the appearance of gaps, because the timber has been kiln dried to the level it is expected to achieve in service. ie. EMC - Equilibrium Moisture Content.
- **Shows durability.**  
Our Maintenance-Free Parquet is extremely resistant to scratches and chemicals.

\*except products made from walnut

## Radiantly beautiful - day in and day out

- **Special Weitzer Parkett cleaning products:**  
Cleaning products that have been specifically developed for Maintenance-Free Parquet, guarantees long lasting, clean, hygienic and beautiful parquet floors. A small amount of water and the "Clever Cleaner" or, alternatively Cleaning Soap is all that is required. No additional care and maintenance is necessary. Weitzer Parkett cleaning products are ecologically tested and are completely harmless to humans and environmentally friendly  
*Refer to the instruction to parquet brochure for more information.*



### Maintenance-Free Parquet

You can always identify our Maintenance-Free products by the Maintenance-Free Symbol

THIS IS PARQUET  
INTELLIGENCE:

## The world's first Maintenance-Free Parquet!

**Are you looking for a parquet floor that offers you practical benefits?**

### Our Intelligent Solution:

The unique, special sealing that goes down to the pores, makes our parquet maintenance free. All it takes is a gentle clean saving time and money. Your floor remains beautiful without any maintenance.





# Healthy Parquet

## For a perfect room climate.

## What we understand by Healthy Parquet

This type of floor covering has a significant influence on individuals.

Weitzer Parkett have created Healthy Parquet specifically to provide and promote a healthy climate and wellbeing.

### Guaranteed by:

- **100% pure - natural oils and waxes from renewable resources**

The surface of the healthy parquet is treated only with natural oils and waxes that penetrate deep into the pores and provide the parquet with strong protection. This extremely breathable surface creates a sense of well being and healthy living that helps restrict / reduce / remove allergens from the environment of the potential allergy sufferer. When it comes to appearance, our healthy parquet boasts a natural timber structure that really stands out thanks to the oiled surface.

- **The natural material wood**

Wood brings comfort and warmth into the room. The latest studies of an independent German test institute prove:

Increase in surface temperature for parquet compared to

- laminate by up to 0.8°C
- tiles by up to 2.2°C

This helps save heating costs!

- **Room climate regulation**

Wood in a room promotes regulation of the humidity and the optimum conditions are 50% humidity and 20°C room temperature. The more wood within a room, the better the climate can be controlled, health problems triggered by too dry or humid air are minimized.

- **The AAAA -effect**

Allergy-sufferer friendly | Antibacterial | Antistatic | Alive

The perfect surfaces, By it's allergy-free antibacterial, antistatic and alive qualities, Weitzer Parkett creates a hygienic, healthy atmosphere of well-being.

Contrary to carpets, dust and dirt cannot get a permanent foothold on the smooth surfaces and mites have no habitat.

## Parquet care!

- **parquet for a lifetime**

When it comes to wooden floors, a distinction is made between cleaning and care.

Ongoing cleaning ensures a clean surface day in and day out. Parquet care protects the wood and gives protection.

Regular care ensures that the surface retains its original finish.

*Refer to the instruction to parquet brochure for more information.*



## Healthy Parquet

You can always identify our Healthy products by the Healthy Symbol

THIS IS PARQUET  
INTELLIGENCE:

## The first healthy parquet with AAAA-effect!

**Are you looking for a parquet floor that offers you practical benefits?**

### Our Intelligent Solution:

our healthy parquet with it's allergy-free, antibacterial, anti-static and alive qualities, creates a hygienic, healthy atmosphere of well-being. Contrary to carpets, dust and dirt cannot get a permanent foothold on the smooth surfaces and mites have no habitat. With its special surfaces, you feel the wood structure very close.



# Sound-reduction parquet

Compactness in it's quietest,  
most beautiful form.

## What we understand by sound-reduction parquet


Room acoustics play a vital role in personal well-being. Weitzer Parkett specializes in this field and the sound-reduction parquet helps to create an atmosphere of relaxation.

### Guaranteed by:

- **The natural material wood**  
In contrast to other floor coverings, parquet guarantees a comfortable frequency range. There are good reasons why concert halls and musical instruments are manufactured from wood.
- **Permanent bond**  
Complete surface bonding by professionals, provides perfect contact with the underlay, thereby minimising distribution of ambient sound.
- **The provital-surface**  
Our sound-reduction parquet achieves an outstanding reduction of ambience noise due the printive surface texture of the timbers used.
- **WP Looseglue and sound-reduction parquet: a dreamteam!**  
Thanks to the outstanding noise-reduction abilities of the WP Looseglue underlay one can achieve a reduction of subsonic noise by 18dB and a significant reduction of ambient noise at the same time. The result is the splendidly deep, compact sound of your footsteps. You combine the advantages of the two installation techniques – floating installation and the adhesion of the parquet – killing two birds with one stone; it's a completely dust-free renovation and an improvement in room acoustics. The result is the splendidly deep, compact sound of your footsteps.

## Our sound-reduction solutions:

- Complete adhesion:**  
Reduction of ambient noise by full adhesion.
- Floating installation:**  
Reduction of subsonic noise by floating installation on underlay.
- Floating adhesion:**  
Reduction of subsonic and ambient noise by „floating adhesion“ to WP Looseglue.



Drastic  
noise-  
reduction!



### Sound-Reduction Parquet

Identify flooring qualifying  
for this functionality by  
the symbol shown above

THIS IS PARQUET  
INTELLIGENCE:

**Sound-Reduction  
Parquet -  
ensures perfect  
room  
acoustics**



**Do you long  
for peace and quiet?**

### Our Intelligent Solution:

The firm bond between parquet and substrate engenders compactness. According to independent German testing, our bonded whisper parquet is up to three times quieter than laminate. Added to this is the beneficial frequency range of the raw material, wood – not for nothing are concert halls and instruments often made of it.





# Renovating with Weitzer Parkett

## So fast. So dust-free. So quiet.

### What we mean by renovation

One generally ponders the renovation of a floor covering for a long time. One fears the effort and costs. However with Weitzer Parkett, that more often means renovation **WITHOUT** dust, **WITHOUT** noise, and **WITHOUT** boring tasks. Weitzer Parkett has developed an overall solution that enables dust-free renovation. One achieves perfect room acoustics as well.

#### The unique benefits:

- **Fast, dust-free, quiet renovation**  
With the renovation solution from Weitzer Parkett, you work quickly, without dust, and quietly! The simplest installation technique guarantees a customer- AND craftsmanship-friendly solution.
- **The old floor covering stays in the room**  
Your new parquet is installed over the old floor covering. The unique WP Looseglue matting finds space between them. The difference to traditional underlay mats for floating installation consists in adhesion to the parquet so that even most 2- and 3- layer products can be installed. A level difference can be avoided in most cases in combination with parquet having a less thickness. The parquet is immediately walkable again after installation.
- **Fast, simple installation**  
The most important adjustments to the renovation work, for example to door linings and skewed masonry, are now quite simple. Adjust until the element sits perfectly then pull off the WP Looseglue's cover film and done! Entirely without adhesive! Tongue-and-groove products are especially well suited for this.
- **The room is immediately walkable**  
Movable furniture can also stay in the room – you push it to one side of the room and install on the other. Then repeat the same procedure with the other half of the room. The room can be traversed again immediately thanks to the system solution with intelligent installation technique.
- **Perfect room acoustics**  
Thanks to the outstanding noise-reduction abilities of the WP Looseglue underlay one can achieve a reduction of subsonic noise by 18dB and a significant reduction of ambient noise at the same time. The result is the splendidly deep, compact sound of your footsteps. You combine the advantages of the two installation techniques – floating installation and the adhesion of the parquet – killing two birds with one stone; it's a completely dust-free renovation and an improvement in room acoustics.
- **Simple removal possible**  
WP Looseglue is also ideal for preserving the subfloor regardless of whether it's a floor worthy of historical preservation or a simple lettable area that is destined to be returned to its original condition after use. Easy removal also offers an uncomplicated renovation solution if the wish for a new parquet floor exists years later.



### Renovation

You recognize products that can be installed with WP Looseglue by this installation symbol.

THIS IS PARQUET INTELLIGENCE:

**Renovation has never been so fast, so dust-free and quiet.**

**Would you like your floor to be renovated quickly, without dust, and as quietly as possible?**

#### Our Intelligent Solution:

With the system solution from Weitzer Parkett, you renovate your floor within a few hours. The old floor covering can remain in the room. The new parquet floor is immediately walkable. No dust and no noise in order to tear out the old floor. The system simultaneously combines all of the advantages of professional adhesion and floating installation! You achieve the greatest noise reduction and hear only the splendidly deep, compact sound of your footsteps.

Heating and parquet in one

A woman with brown hair, wearing a pink sweater and black leggings, is sitting on a light-colored wooden floor. She is holding a small brown teddy bear in her hands. In front of her, on the floor, are several colorful alphabet blocks, a glue stick, and a small grey mouse-shaped toy. She is smiling and looking towards the camera. The background shows a white bed frame and a white dresser.

The smart way  
to heat.

weitzer-waermeparkett.com

## Become a Weitzer Wärmeparkett partner

**Are you interested in adding Weitzer Wärmeparkett to your range?**

Weitzer Parkett offers interested specialist dealers the opportunity to become a Wärmeparkett partner. As a partner, you receive exclusive access to Weitzer Wärmeparkett products, training and marketing support.




## Revolutionary technology

# Well-being warmly welcome.

Up to 55 m<sup>2</sup> of Weitzer Wärmeparkett can be installed in just one day – and at a fixed price. With a height of 16 mm or more, you can upgrade existing buildings quickly and easily without major conversion work or expensive material costs.

For a healthy, feel-good climate without dust and air turbulence – and heating **cost savings of up to 60%**. Ideal for easy retrofitting of underfloor heating.



The combination of full carbon comfort heating and real wood parquet creates a pleasant radiant heat.

## Choose your favourite parquet:



### Weitzer Plank 2245 Oak Amber

lively colorful | bevelled, brushed  
Item-Nr. **76216**



### Weitzer Plank 2245 Oak

lively | bevelled, brushed  
Item-Nr. **76290**



### Weitzer Plank 2245 Oak

lively | bevelled, brushed  
Item-Nr. **76291**




### Weitzer Plank 2245 Oak

rustic | bevelled, brushed  
Item-Nr. **76348**




### Weitzer Plank 2245 Oak

rustic | bevelled, brushed  
Item-Nr. **76349**



### Weitzer Plank 2245 Oak Auster

rustic | bevelled, brushed  
Item-Nr. **76248**



### Weitzer Plank 2245 Oak Kaschmir

rustic | bevelled, brushed  
Item-Nr. **76276**



### Weitzer Block 2245 Oak

lively colorful | brushed  
Item-Nr. **76207**

er!

Contact us to learn more about this innovative product and the possibilities of a Weitzer Wärmeparkett partnership.



# Weitzer ReParkett

## A second chance for a veritable sweetheart!

Did you know that 70 m<sup>2</sup> of Weitzer parquet binds a tonne of CO<sub>2</sub>? This is just one of the reasons why the company Weitzer Parkett wants to set a sustainable trend with the product ReParkett.

## What exactly is ReParkett?

As can be seen from the name, the idea is to reuse valuable old parquet. Countless stories have played out on an old parquet floor from the Wilhelminian era. Numerous generations played, danced and lived on it. Such a valuable treasure is far too good to be thrown away. Weitzer Parkett sees great potential here – for sustainability and for the respectful use of our resources. The urban mining trend takes on a new dimension here.

# #UrbanMining



Originally, urban mining was about the recovery of building materials and soil excavation in urban areas. But the Weitzer Parkett company has given the term a new meaning. Historical solid parquet is so valuable that it is worthwhile to save it from disposal and to return it to the value cycle - reconditioned and reborn.

## This is how it works:

Especially when it comes to renovation, the old parquet from the early days has often had its day and is disposed of by apartment owners. This is where the Weitzer Parkett company comes into play. After contacting us and agreeing on the details, the parquet will be picked up free of charge - including careful dismantling. Without high disposal costs for the owner.

The parquet is then delivered to the Weitzer Parkett production site in Weiz. Here it is carefully examined and processed. After the parquet is finally provided with the proven perfect surface, it shines in new beauty and is ready for a new home.

After the processing of the old parquet blocks, the customer receives a look that is as unique as its past, which in places is 200 years old. A perfect floor so that future generations can also continue to write history on it.



# Weitzer Parkett Appearances: For every style, we offer the right format.



## Plank Appearance

- Expressive wood effect which is close-to-nature and works well in large spaces
- Elegant, lively and timeless
- The characteristics of the wood are completely retained, ensuring every floor is unique



## Block Appearance

- Timeless, classic format
- Harmonizes with any furniture style
- Offers the greatest freedom of choice of installation patterns, such as herringbone, plait, shifted dice and lamella
- Also perfect for combining with other products



## Strip Appearance

- Unique design from Weitzer Parkett
- Multi-faceted strip appearance in contemporary design
- Gives the room a lively look and a personal touch
- Extraordinarily effective, especially when installed on stairs (waterfall appearance)






## Grading: As manifold as life.



### Exquisite

The elegant and calm appearance given by grain and colour (with no light-coloured sapwood) satisfies the most exquisite taste.

**Characteristics:** pin knots, fine grain, no sapwood, rift grain



### Calm

This grading mixes a timeless grain combination, from simple to decorative.

**Characteristics:** small knots, natural colour variation, no sapwood



### Lively

This grading has a high percentage of sound knots with an even colour variation without sapwood.

**Characteristics:** knots, natural colour variations, filled cracks, natural grain variation no sapwood



### Lively colourful

The lively colourful grading offers the whole variety of nature. The large proportion of sapwood produces a harmonious, colourful appearance.

**Characteristics:** knots, natural colour variations, filled cracks, sapwood and natural grain



### Rustic

This grade demonstrates the natural growth characteristics of the oak tree.

**Characteristics:** no limitation on size of knots, open knots, filled cracks and variations in colour are permitted, no sapwood



### Rustic colourful

The proportion of sapwood produces a colourful appearance with the full expressive power of the tree. Shows character and leaves the tree alive as a piece of living nature.

**Characteristics:** knots of unlimited size, smoothed-out knots and filled cracks, sapwood with natural grain variation, distinct variation in colour and timber structure



# Expressive: Our haptics



## Bevelled

accentuates the plank appearance adding depth and presence



## Brushed

emphasizes the natural structure of the wood grain



## Deep Brushed

Emphasizes the wood structure intensely



## Intensely brushed

hand-crafted features




## Scraped

soft, varied planing imparts a special look and feel






# Perfectly laid parquet



**straight**

**Weitzer Plank**  
2245, 2245 Plus,  
1800, 1400, 1000  
**Weitzer Block**  
750, 500, 2245  
**Weitzer Strip**  
360




**diagonal**

**Weitzer Plank**  
2245, 2245 Plus,  
1800, 1400, 1000  
**Weitzer Block**  
750, 500, 2245  
**Weitzer Strip**  
360


## Your laying work makes the parquet a masterpiece.

With perfect Weitzer parquet flooring, it's easy to create beautiful floors according to our laying patterns. A simple overview shows you which products you can use to create the most sought-after patterns.




**ladder-type**

**Weitzer Plank**  
1400, 1000




**lamella pattern**

**Weitzer Plank**  
1400, 1000  
**Weitzer Block**  
750, 500  
**Weitzer Strip**  
360



**diagonal lamella**

**Weitzer Plank**  
1400, 1000  
**Weitzer Block**  
750, 500  
**Weitzer Strip**  
360




**parallel**


**Weitzer Strip**  
360

**herringbone**

**Weitzer Plank**  
1000  
**Weitzer Block**  
750, 500  
**Weitzer Strip**  
360

**french herringbone 60°**

**Weitzer Plank**  
1000  
**Weitzer Block**  
750, 500

**french herringbone 45°**


**Weitzer Plank**  
1000  
**Weitzer Block**  
750, 500

**twin-herringbone**

**Weitzer Block**  
750, 500  
**Weitzer Strip**  
360

**triple plait**

**Weitzer Block**  
750, 500

**quadruple plait**

**Weitzer Block**  
750, 500


**herringbone with border detail**

combination:  
**Weitzer Block**  
750, 500 with  
**Weitzer Plank**  
1400, 1000



# Weitzer Plank 2245 Plus


## 3-layer parquet



- Intelligent patented double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor
- Header joint edge locking mechanism made from wood - completely free from plastic components and plasticizers **(03)**
- Support material made of wood with vertically arranged growth rings **(04)**
- Bevel on the longitudinal and header joints **(05)**
- Ideally suited to underfloor heating, as it can be completely adhered to the subfloor

### Dimensions: 2245 x 193 x 14 mm

Overall thickness 14 mm with approx. 3,6 mm wear layer




### Packing units

Unit	Package	Pallet
Contents	6 boards = 2,60 m <sup>2</sup>	35 packages = 91,00 m <sup>2</sup>
Dimensions	2,27 x 0,215 x 0,085 m	2,27 x 1,075 x 0,705 m
Weight	approx. 19,80 kg	approx. 702 kg
Edge profile for steps	Fixed length: 2,245 m; 40 Style, 58 Style and 30 Style Block: riser is delivered loose	



# Weitzer Plank 2245


## 3-layer parquet



- Intelligent patented double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor
- Header joint edge locking mechanism made from wood - completely free from plastic components and plasticizers **(03)**
- Support material made of wood with vertically arranged growth rings **(04)**
- Bevel on the longitudinal and header joints **(05)**
- Ideally suited to underfloor heating, as it can be completely adhered to the subfloor

### Dimensions: 2245 x 193 x 13 mm

Overall thickness 13 mm with approx. 2,7 mm wear layer




### Packing units

Unit	Package	Pallet
Contents	6 boards = 2,60 m <sup>2</sup>	30 packages = 78,00 m <sup>2</sup>
Dimensions	2,28 x 0,22 x 0,078 m	2,28 x 1,10 x 0,58 m
Weight	approx. 18,49 kg	approx. 565,58 kg
Edge profile for steps	Fixed length: 2,245 m; 40 Style, 58 Style and 30 Style Block: riser is delivered loose	



# Weitzer Plank 1800


## 3-layer parquet



- Intelligent double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor
- Header joint edge locking mechanism made from wood - completely free from plastic components and plasticizers **(03)**
- Support material made of wood with vertically arranged growth rings **(04)**
- Bevel on the longitudinal and header joints **(05)**
- Ideally suited to underfloor heating, as it can be completely adhered to the subfloor

### Dimensions: 1800 x 175 x 11 mm

Overall thickness 11 mm with approx. 2,7 mm wear layer




### Packing units

Unit	Package	Pallet
Contents	8 boards = 2,52 m <sup>2</sup>	42 packages = 105,84 m <sup>2</sup>
Dimensions	1,82 x 0,202 x 0,088 m	1,82 x 1,22 x 0,726 m
Weight	approx. 14,85 kg	approx. 632,7 kg
Edge profile for steps	Fixed length: 1,8 m; 40 Style, 58 Style and 30 Style Block: riser is delivered loose	

# Weitzer Plank 1400


## 2-layer parquet



- Luxurious format with an extremely wide choice of wood species, finishes and surfaces
- Tongue and groove joint on four sides **(01)**
- Support material made of wood with vertically arranged growth rings **(02)**
- Bevel on the longitudinal and header joints **(03)**
- Ideally suited to underfloor heating, thanks to ideal overall thickness
- Suitable as border detail in combination with Weitzer Block 750 or Weitzer Block 500

### Dimensions: 1400 x 140 x 9,3 mm

Overall thickness 9,3 mm with approx. 2,7 mm wear layer




### Packing units

Unit	Package	Pallet
Contents	12 boards = 2,35 m <sup>2</sup>	49 packages = 115,15 m <sup>2</sup>
Dimensions	1,41 x 0,15 x 0,12 m	1,41 x 1,2 x 0,99 m
Weight	approx. 12,5 kg	approx. 637,5 kg
Edge profile for steps	Fixed length: 1,4 m; 40 Style, 58 Style and 30 Style Block: riser is delivered loose	



# Weitzer Plank 1000

## 2-layer parquet



- Tongue and groove joint on four sides **(01)**
- Support material made of wood with vertically arranged growth rings **(02)**
- Can be used in combination with Weitzer Plank 1400, Weitzer Block 750 and Weitzer Block 500
- Suitable as border detail in combination with Weitzer Block 750 or Weitzer Block 500
- Ideally suited to underfloor heating, thanks to ideal overall thickness

### Herringbone\* and French Herringbone\* installation:

- All articles in all surfaces are suitable for Herringbone installation
- For French Herringbone installation:
  - Inquiry possible for 60° or 45° cut
  - All items except bevelled in PA+ suitable!

\* from an order of 20 m<sup>2</sup>

### Dimensions: 1000 x 125 x 9,3 mm

Overall thickness 9,3 mm with approx. 2,7 mm wear layer



### Packing units

Unit	Package	Pallet
Contents	14 boards = 1,75 m <sup>2</sup>	56 packages = 98 m <sup>2</sup>
Dimensions	1,01 x 0,14 x 0,14 m	1,20 x 1 x 1,13 m
Weight	approx. 9 kg	approx. 529 kg

Edge profile for steps

Fixed length: 1 m or 2 m;

40 Style, 58 Style and 30 Style Block: riser is delivered loose

### Packing units French Herringbone 45°

Unit	Package	Pallet
Contents	14 boards = 1,51 m <sup>2</sup>	56 packages = 84,56 m <sup>2</sup>
Dimensions	1,01 x 0,14 x 0,14 m	1,20 x 1 x 1,13 m
Weight	approx. 7,8 kg	approx. 461,8 kg


### Packing units French Herringbone 60°

Unit	Package	Pallet
Contents	14 boards = 1,61 m <sup>2</sup>	56 packages = 90,16 m <sup>2</sup>
Dimensions	1,01 x 0,14 x 0,14 m	1,20 x 1 x 1,13 m
Weight	approx. 8,3 kg	approx. 489,80 kg



# Weitzer Block 750

## 2-layer parquet



- Herringbone and French Herringbone installation possible
- Single strip appearance with bevel on the longitudinal and header joints **(01)**
- Tongue and groove joint on four sides **(02)**
- Support material made of derived timber product **(03)**
- Weitzer Plank 1400 or Weitzer Plank 1000 can be used as a border detail
- Ideally suited to underfloor heating

### Dimensions: 750 x 125 x 9,3 mm

Overall thickness 9,3 mm with approx. 2,7 mm wear layer



### Packing units

Unit	Package	Pallet
Contents	24 boards = 2,25 m <sup>2</sup>	32 packages = 72 m <sup>2</sup>
Dimensions	0,76 x 0,26 x 0,12 m	0,76 x 1,04 x 1,11 m
Weight	approx. 14,5 kg	approx. 489 kg

Edge profile for steps

Fixed length: 1,4 m

40 Style, 58 Style and 30 Style Block: riser is delivered loose

### Packing units French Herringbone 45°

Unit	Package	Pallet
Contents	24 boards = 1,85 m <sup>2</sup>	32 packages = 59,2 m <sup>2</sup>
Dimensions	0,76 x 0,26 x 0,12 m	0,76 x 1,04 x 1,11 m
Weight	approx. 12 kg	approx. 409 kg


### Packing units French Herringbone 60°

Unit	Package	Pallet
Contents	24 boards = 2 m <sup>2</sup>	32 packages = 64 m <sup>2</sup>
Dimensions	0,76 x 0,26 x 0,12 m	0,76 x 1,04 x 1,11 m
Weight	approx. 13 kg	approx. 441 kg



# Weitzer Block 500

## 2-layer parquet



- Available in an extremely wide choice of wood species, finishes and surfaces
- Tongue and groove joint on four sides **(01)**
- Support material made of wood with vertically arranged growth rings **(02)**
- Offers the greatest freedom of choice of installation patterns, also perfect for combining with Weitzer Plank 1400, Weitzer Plank 1000 and Weitzer Block 750
- Weitzer Plank 1400 or Weitzer Plank 1000 can be used as a border detail

### Herringbone and French Herringbone\* installation:

- All articles in all surfaces are suitable for Herringbone installation
- For French Herringbone installation:
  - Inquiry possible for 60° or 45° cut

\* from an order of 20 m<sup>2</sup>

### Dimensions: 500 x 68 x 9,3 mm

Overall thickness 9,3 mm with approx. 2,7 mm wear layer



### Packing units

Unit	Package	Pallet
Contents	80 boards = 2,72 m <sup>2</sup>	30 packages = 81,60 m <sup>2</sup>
Dimensions	0,51 x 0,286 x 0,195 m	1,2 x 0,8 x 1,125 m
Weight	approx. 14,9 kg	approx. 472 kg

Edge profile for steps

Fixed length: 1 m, 1,5 m or 2 m;

40 Style, 58 Style and 30 Style Block: riser is delivered loose

Each package contains 50% right and 50% left blocks

### Packing units French Herringbone 45°


Unit	Package	Pallet
Contents	80 boards = 2,30 m <sup>2</sup>	30 packages = 69 m <sup>2</sup>
Dimensions	0,51 x 0,286 x 0,195 m	1,2 x 0,8 x 1,125 m
Weight	approx. 12,6 kg	approx. 403 kg

### Packing units French Herringbone 60°

Unit	Package	Pallet
Contents	80 boards = 2,45 m <sup>2</sup>	30 packages = 73,50 m <sup>2</sup>
Dimensions	0,51 x 0,286 x 0,195 m	1,2 x 0,8 x 1,125 m
Weight	approx. 13,5 kg	approx. 430 kg

# Weitzer Block 2245



## 3-layer parquet



- Intelligent double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor
- Header joint edge locking mechanism made from wood - completely free from plastic components and plasticizers **(03)**
- Wood supporting material with vertically arranged growth rings **(04)**
- Ideally suited to underfloor heating, as it can be completely adhered to the subfloor

### Dimensions: 2245 x 193 x 13 mm

Overall thickness 13 mm with approx. 2,7 mm wear layer



### Packing units

Unit	Package	Pallet
Contents	6 boards = 2,60 m <sup>2</sup>	30 packages = 78,00 m <sup>2</sup>
Dimensions	2,28 x 0,22 x 0,078 m	2,28 x 1,10 x 0,58 m
Weight	approx. 18,49 kg	approx. 565,58 kg
Edge profile for steps	Fixed length: 2,245 m; 40 Style, 58 Style and 30 Style Block: riser is delivered loose	



# Weitzer ReParkett

## Solid parquet



- Solid oak wood (obtained from recycled solid block parquet)
- Grading: lively colourful (veins, knots, colours, surface features)
- Provided with our proven perfect surface ProVital finish
- Single-block optics in various widths and lengths
- Ideally suited to underfloor heating
- Tongue-and-groove connection (false tongue) **(01)**
- Laying types: Herringbone or straight lamella

### Dimensions:

Total thickness approx. 17 mm solid parquet. Single-block optics in various widths and lengths depending on material availability.




0 cm 100 cm






# Weitzer Strip 360

## 2-layer parquet





- Unusually effective design - exclusively from Weitzer Parkett
- Tongue and groove joints on four sides **(01)**
- Supporting material made from wood material **(02)**
- Unbeatable price/performance ratio



### Dimensions: 360 x 108 x 10,3 mm

Overall thickness 10,3 mm with approx. 3,6 mm wear layer



### Packing units

Each package contains 50% right and 50% left blocks

Unit	Package	Pallet
Contents	36 boards = 1,40 m <sup>2</sup>	50 packages = 70 m <sup>2</sup>
Dimensions	0,37 x 0,23 x 0,194 m	1,20 x 0,80 x 1,118 m
Weight	approx. 12,6 kg	approx. 655 kg
Edge profile for steps	Fixed length: 1,08 m, 1,44 m, 1,80 m or 2,16 m; 40 Style, 58 Styl and 30 Style Block: riser is delivered loose	



# Wooden stairs WP Multi

Parquet and stairs in identical colours.


The perfect finish to your interior.



Weitzer Plank 1800 | Oak Kashmir | rustic colourful | bevelled, brushed |  

The natural product wood has a long procurement lead time. As a result of high demand regarding particular species or grades the delivery time can be longer. All consignments underlie the sales-, payment terms and delivery conditions of Weitzer Parkett. Subject to change without prior notice.

Weitzer Parkett offers matching stairs for every parquet floor - irrespective of which timber or colour tone you use - creating colour consistency throughout.



### 03 Multi front edge - riser (FER)

Covers the side of the risers (vertically) and rounds off the overall picture of the staircase. It is available in white (see image) or in all parquet appearances.

### 04 Multi wall cover moulding (WCM)

The final touch for wall clearance. Offers protection against abrasion and dirt.

### 05 Multi front edge (FE)

The Multi Front Edge covers the open sides of the tread. The Multi Front Edge is provided with a permanent tongue. A router and a 4 mm groove cutter with thrust ring are needed for installation.

Also available **without** tongue!

Precise,  
stable fixation  
of Front Edge  
(FE)\*

\* Grooves must be cut during installation

### 03 + 04 + 05 WP Multi moulding system

The intelligent moulding system made of genuine wood for all applications—whether straight, L- or U-shaped, or slanting. Consisting of Multi Front Edge (FE), Multi Front Edge - Riser (FER), and the Wall Cover Moulding (WCM), they fit every Weitzer parquet and every multi-stair variation. Available in every wood species and colour of the Weitzer Parkett assortment.





## 01 Edge profile for steps (EP)

The profile for the 40 style, 58 style and block style variants is crafted from a single piece of parquet. The stair-edge profile is the termination of each stair (exit) and allows the adjacent parquet to continue to be laid seamlessly.

(continued frontal laying on request)



**40 Style**  
40 mm



**58 Style**  
58 mm



**30 Style Block**  
Variable riser  
(Height depends on  
each product.)

Symbolic Photos

Immediately  
click on  
for example  
continue  
installation

## 02 Tread panel

Consists of several parquet strips (number of parquet strips varies depending on parquet appearance) and terminates at the longitudinal sides each with multi-moulding.

### Available Models:

40 Style, 58 Style and 30 Style Block

**You'll find a detailed description of the individual profiles on the next page.**



Standard 15 mm thick carrier panel,  
6 mm or 25 mm thickness deliverable on request

**Two treads** can be produced per large die plate.

### Tread combination

Exemplary presentation of the tread combination for each cut is displayed on the back side. However this serves only as guidance. Exact measures must always be taken on site!



**Plank appearance\***



**Block appearance**



**Strip appearance**

Symbolic Photos

\* Continuous top layer (no header joint) is possible at an extra cost.

# The tread panel in detail


## Tread panel 40 Style



## Tread panel 58 Style



## Tread panel 30 Style Block



\* Number of parquet strips varies depending on parquet appearance.



\*\* Height and connection depends on each product.

# Professional installation with screw connected riser for a perfect result.

Optimized installation conditions of the riser using an exact edge and pre-drilled threaded-connection holes.




## Your benefits at a glance:

- Prefabricated riser as an ideal solution to cover existing structure **(01)**  
(Brickworks/Painting not necessary)
- Pre-drilled, countersunk threaded connection in the riser **(02)**  
(simple one-man installation)
- Remarkable saving of installation time





## WP Multi – possibilities



## Solid hand rails



Item No.	Species	Grading	Surface	Profile and Length (over 2500 mm with longitudinal finger joint)	
<b>40430</b>	<b>Walnut</b>	calm	PA+ and PVf	HL 50 and HL 80, up to 2500 mm	
	<b>Oak</b>	calm	PA+ and PVf	HL 50 and HL 80, up to 2500 mm	
	<b>Beech</b>	calm	PA+ and PVf	HL 50 and HL 80, up to 2500 mm	
	<b>Ash</b>	calm	PA+	HL 50 and HL 80, up to 2500 mm	
<b>Rounding of handrail ends (Price per pc.)</b>					
<b>Longitudinal finger joint (Price per pc.)</b>					

## Accessories WP Multi

Article	Description	Colour	Item No.	
	<b>Handrail brackets</b> HL 50 and HL 80	white	<b>13776</b>	
	HL 50 and HL 80	stainless steel	<b>13773</b>	



# Parquet moulding system

From simple to elegant. Intelligent and proven solutions for the perfect finish of your interior.













## Parquet skirting: A matching skirting for every floor.

### Veneered skirtings


Length 2500 mm





## Solid skirtings

Length 2400 mm



## Clipstar

	Description	Packaging Unit	Item No.	
	<b>Clipstar FAST</b> The invisible fastening system enables rapid and tool-free installation of skirtings.	1 Box of 30 Clips	<b>65113</b>	
	<b>Clip-Star – suitable for brickwork</b> This intelligent and globally unique invisible fastening system enables fast and simple assembly. Fastener distance: 25-50 cm	1 Box of 50 Clips	<b>40362</b>	
	<b>Clip-Star – suitable for drywall construction</b> This intelligent and globally unique invisible fastening system enables fast and simple assembly. Fastener distance: 25-50 cm	1 Box of 50 Clips	<b>29383</b>	



## Heating with a clear conscience: With Weitzer Parkett briquettes!

**What makes our briquettes so special? They are made directly in our factory from the "waste" from parquet production. Sustainable, efficient and environmentally friendly.**

Our parquet factory briquettes are easy to handle and leave behind less ash and smoke compared to other fuels. This not only saves you time when cleaning, but you can also enjoy the pure heat without any annoying side effects.

On the other hand, our briquettes impress with their high quality. By using modern technologies, we guarantee uniform compaction and a long burning time. You get a constant and long-lasting warmth that provides a cozy atmosphere in addition to the energy savings.

**Wood and  
Water**  
nothing else!



### Weitzer Parkett briquettes

- 100% sustainable: We recycle waste into valuable energy.
- High calorific value: Longer heating time, lower costs.
- Environmentally friendly: Less CO<sub>2</sub> emissions, more resource conservation.
- Easy handling: Clean, efficient, without a lot of ash and smoke.

**Now available!**

**Price on request**



# Wood at its best

Beech and ash are making a comeback with us.. We choose the wood species for our colourful assortment with care – conserving resources and for a good attitude to life!





# Wood - at its best

We are producing parquet out of the most suitable timber only.



## Oak

**The Steadfast One** Botanical name *Wuercus*



The highly characteristic, long-living oak is amongst the most valuable of domestic timbers. The timeless classic stands for robustness - the wood of this dependable tree is durable, hard, firm and elastic all in one. This makes it the perfect wood for a wide range of additional colour treatments, because it works with all furniture styles and is perfect for use with underfloor heating, oak remains the wood of choice for most people selecting a parquet floor.

**Origin:** primarily Austria, Hungary and Croatia.



## Ash

**The vital one** Botanical name *fraxinus excelsior*



Thanks to the high quality of its wood, the ash is one of the most precious deciduous woods, and together with beech and oak, one of the most important timbers in Central Europe. The expressive, distinctively structured wood, with its pronounced annual rings, is harder, tougher and more flexible than that of many other trees. For that reason, ash wood is most popular amongst those with the highest requirements when it comes to toughness and flexibility. Thanks to its special marking with a brown core, the ash is often known as the 'core ash'.

**Origin:** Austria, Hungary and Croatia.



## Walnut

**The precious one** Botanical name *juglans nigra*



One of the most valuable and sought-after timbers, walnut has been viewed for centuries now as one of the most precious wood species for the production not just of parquet flooring and furniture, but also of musical instruments. Thanks to its colouring, which ranges from matt to blackish-brown, and its marking, this attractive wood gives any room it graces a particularly luxurious ambience. Its varied appearance makes it the ideal choice for those wishing to create effective contrasts.

**Origin:** Central and Eastern Europe, USA



# Carved from good wood.

For 190 years we have been values for generations from the sustainable raw material wood. And we take responsibility for nature and the environment.







# Our ecological responsibility for future generations.

## Where actions meet words.

**We listen to mother nature, and feel obliged to align our company with the environment.**

**We invite you to follow our example!**

- Our raw timber is almost exclusively derived from European, sustainable forests.
- We are the first parquet manufacturer to have ceased using tropical hardwood timber for a number of years.
- Energy is a valuable resource, our internal biomass power plant, photovoltaic systems and hydroelectric power plant allow us to produce not only environmentally friendly district heating, but also eco-power. The energy produced in this sustainable manner provides power not only for Weitzer Parkett but also for more than half of the city of Weiz. This corresponds to a capacity of more than 2000 households.
- We make a significant contribution to a positive eco balance by means of our overall value-add chain: resources from nearby locations, short transport paths, production in Austria, renewable energy, and much more besides.
- **We are a step ahead: Weitzer Parkett is the first and only manufacturer in the market to offer an overall solution for parquet flooring and adhesive that is free from plasticizers.**

100 m<sup>2</sup>  
Weitzer Plank  
bind 1 ton  
of CO<sub>2</sub>

THIS IS PARQUET INTELLIGENCE:

## Hand in hand with mother nature

**Do you expect environmental responsibility that you can trust?**

### **Our intelligent solution:**

Our innovative strength helps us to implement particularly efficient measures in matters of ecology: our in-house biomass co-generation plant, photovoltaic system, and hydroelectric plant are just a few examples of our responsible actions in terms of future generations.





# Environmental responsibility.

## Our certificates prove our lived environmental protection and sustainability



The mark of responsible forestry

### FSC®: We are certified.

\*

The Forest Stewardship Council® is an international nongovernmental organization that promotes environmentally appropriate, socially beneficial, and economically viable management of the world's forests. To learn more, visit [www.fsc.org](http://www.fsc.org)



[www.blauer-engel.de/uz176](http://www.blauer-engel.de/uz176)

### Environmental protection: We're taking a Stance.

As the world's oldest and best-known eco-label, the Blue Angel stands for credibility and competence. It identifies products which are particularly environmentally friendly and at the same time meet high demands in relation to health and employment protection. Weitzer Parkett products have been tested in accordance with these strict guidelines, and as a result are entitled to carry the Blue Angel seal of approval.

All certified products under the link provided.



### We're taking responsibility.

\*

Weitzer Parkett holds the PEFC Certificate of sustainable forestry. This Europe-wide system of forest certification acts as a common framework for national and regional certification schemes PEFC (Programme for the Endorsement of Forest Certification scheme) is a certification system initiated by European private forest owners and promotes sustainable forestry.



### We think about the future.

The "Parquet Refinishable Programme" is a voluntary certification program of the European Parquet Federation (FEP). Only those parquet products that have a sufficiently top layer height may use this label. This includes our Weitzer Parkett engineered wood flooring, which offers the ideal combination of resource efficiency and durability with its installation height. Therefore Weitzer Parkett has been included in the FEP list of certified, re-sandable parquet products.



### We let you breathe easily.

The TÜV PROFICERT product Interior is an independent quality symbol for interior products with regard to emissions. Under this voluntary, external monitoring scheme, the emissions of our products are tested and assessed according to the most stringent criteria. In this way we verify that: Weitzer Parkett ensures a good interior air quality in your rooms.



### Your trust is important to us.

The GREENGUARD certificate guarantees no harmful chemical emissions of our 3-layer floors.



### We stand for real values.

Developed by the European Federation of the Parquet Industry ("FEP"), only solid and multi-layered real wood floors such as those manufactured by Weitzer Parkett may carry the Real Wood logo. The campaign for real wood floors has been developed to avoid confusion between real timber floors and laminate floors (laminate cannot carry the "Real Wood" label).



## Notes





Weitzer Parkett Vertriebs GmbH  
Klammstrasse 24  
8160 Weiz, Austria

T +43 3172 / 2372 - 0  
E [office@weitzer-parkett.com](mailto:office@weitzer-parkett.com)  
→ [weitzer-parkett.com](http://weitzer-parkett.com)



Your Weitzer Parkett partner